

## **„INTERNATIONAL CONVENTION AGAINST DOPING IN SPORT**

### **Annex I – Prohibited List – International Standard**

Paris, 1 January 2014

### **THE 2014 PROHIBITED LIST**

### **WORLD ANTI-DOPING CODE**

**Valid 1 January 2014**

In accordance with Article 4.2.2 of the World Anti-Doping Code, all Prohibited Substances shall be considered as "Specified Substances" except Substances in classes S1, S2, S4.4, S4.5, S6.a, and Prohibited Methods M1, M2 and M3.

#### **SUBSTANCES AND METHODS PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)**

#### **PROHIBITED SUBSTANCES**

##### **S0. NON-APPROVED SUBSTANCES**

Any pharmacological substance which is not addressed by any of the subsequent sections of the List and with no current approval by any governmental regulatory health authority for human therapeutic use (e.g drugs under pre-clinical or clinical development or discontinued, designer drugs, substances approved only for veterinary use) is prohibited at all times.

##### **S1. ANABOLIC AGENTS**

Anabolic agents are prohibited.

###### **S1.1. Anabolic Androgenic Steroids (AAS)**

(a) Exogenous\* AAS, including:

1-androstenediol (5 $\alpha$ -androst-1-ene-3 $\beta$ ,17 $\beta$ -diol); 1-androstenedione (5 $\alpha$ -androst-1-ene-3,17-dione); bolandiol (estr-4-ene-3 $\beta$ ,17 $\beta$ -diol); bolasterone; boldenone; boldione (androsta-1,4-diene-3,17-dione); calusterone; clostebol; danazol ([1,2]oxazolo[4'5':2,3]pregna-4-en-20-yn-17 $\alpha$ -ol); dehydrochlormethyltestosterone (4-chloro-17 $\beta$ -hydroxy-17 $\alpha$ -methylandrosta-1,4-dien-3-one); desoxymethyltestosterone (17 $\alpha$ -methyl-5 $\alpha$ -androst-2-en-17 $\beta$ -ol); drostanolone; ethylestrenol (19-norpregna-4-en-17 $\alpha$ -ol); fluoxymesterone; formebolone; furazabol (17 $\alpha$ -methyl[1,2,5]oxadiazolo[3'4':2,3]-5 $\alpha$ -androstan-17 $\beta$ -ol); gestrinone; 4-hydroxytestosterone (4,17 $\beta$ -dihydroxyandrost-4-en-3-one); mestanolone; mesterolone; metandienone (17 $\beta$ -hydroxy-17 $\alpha$ -methylandrosta-1,4-dien-3-one); metenolone; methandriol; methasterone (17 $\beta$ -hydroxy-2 $\alpha$ ,17 $\alpha$ -dimethyl-5 $\alpha$ -androstan-3-one); methyltestenolone (17 $\beta$ -hydroxy-17 $\alpha$ -methylestra-4,9-dien-3-one); methyl-1-testosterone (17 $\beta$ -hydroxy-17 $\alpha$ -methyl-5 $\alpha$ -androst-1-en-3-one); methylnortestosterone (17 $\beta$ -hydroxy-17 $\alpha$ -methylestr-4-en-3-one); methyltestosterone; metribolone (methyltrienolone, 17 $\beta$ -hydroxy-17 $\alpha$ -methylestra-4,9,11-trien-3-one); mibolerone; nandrolone; 19-norandrostenedione (estr-4-ene-3,17-dione); norboletone; norclostebol; norethandrolone; oxabolone; oxandrolone; oxymesterone; oxymetholone; prostanazol (17 $\beta$ -[(tetrahydropyran-2-yl)oxy]-1'H-pyrazolo[3,4:2,3]-5 $\alpha$ -androstane); quinbolone; stanozolol; stenbolone; 1-testosterone (17 $\beta$ -hydroxy-

5 $\alpha$ -androst-1-en-3-one); tetrahydrogestrinone (17-hydroxy-18 $\alpha$ -homo-19-nor-17 $\alpha$ -pregna-4,9,11-trien-3-one); trenbolone (17 $\beta$ -hydroxyestr-4,9,11-trien-3-one); and other substances with a similar chemical structure or similar biological effect(s).

(b) Endogenous\*\* AAS when administered exogenously:

androstenediol (androst-5-ene-3 $\beta$ ,17 $\beta$ -diol); androstenedione (androst-4-ene-3,17-dione); dihydrotestosterone (17 $\beta$ -hydroxy-5 $\alpha$ -androstan-3-one); prasterone (dehydroepiandrosterone, DHEA, 3 $\beta$ -hydroxyandrost-5-en-17-one); testosterone;

and their metabolites and isomers, including but not limited to:

5 $\alpha$ -androstane-3 $\alpha$ ,17 $\alpha$ -diol; 5 $\alpha$ -androstane-3 $\alpha$ ,17 $\beta$ -diol; 5 $\alpha$ -androstane-3 $\beta$ ,17 $\alpha$ -diol; 5 $\alpha$ -androstane-3 $\beta$ ,17 $\beta$ -diol; androst-4-ene-3 $\alpha$ ,17 $\alpha$ -diol; androst-4-ene-3 $\alpha$ ,17 $\beta$ -diol; androst-4-ene-3 $\beta$ ,17 $\alpha$ -diol; androst-5-ene-3 $\alpha$ ,17 $\alpha$ -diol; androst-5-ene-3 $\alpha$ ,17 $\beta$ -diol; androst-5-ene-3 $\beta$ ,17 $\alpha$ -diol; 4-androstenediol (androst-4-ene-3 $\beta$ ,17 $\beta$ -diol); 5-androstenedione (androst-5-ene-3,17-dione); epi-dihydrotestosterone; epitestosterone; etiocholanolone; 3 $\alpha$ -hydroxy-5 $\alpha$ -androstan-17-one; 3 $\beta$ -hydroxy-5 $\alpha$ -androstan-17-one; 7 $\alpha$ -hydroxy-DHEA ; 7 $\beta$ -hydroxy-DHEA ; 7-keto-DHEA; 19-norandrosterone; 19-noretiocholanolone.

S1.2. Other Anabolic Agents, including but not limited to:

Clenbuterol, selective androgen receptor modulators (SARMs), tibolone, zerenol, zilpaterol.

*For purposes of this section:*

\* "exogenous" refers to a substance which is not ordinarily capable of being produced by the body naturally.

\*\* "endogenous" refers to a substance which is capable of being produced by the body naturally.

## S2. PEPTIDE HORMONES, GROWTH FACTORS AND RELATED SUBSTANCES

The following substances, and other substances with similar chemical structure or similar biological effect(s), are prohibited:

1. Erythropoiesis-Stimulating Agents [e.g. erythropoietin (EPO), darbepoetin (dEPO), hypoxia-inducible factor (HIF) stabilizers, methoxy polyethylene glycol-epoetin beta (CERA), peginesatide (Hemateide)];
2. Chorionic Gonadotrophin (CG) and Luteinizing Hormone (LH) and their releasing factors, in males;
3. Corticotrophins and their releasing factors;
4. Growth Hormone (GH) and its releasing factors and Insulin-like Growth Factor-1 (IGF-1).

In addition, the following growth factors are prohibited

Fibroblast Growth Factors (FGFs), Hepatocyte Growth Factor (HGF), Mechano Growth Factors (MGFs), Platelet-Derived Growth Factor (PDGF), Vascular-Endothelial Growth Factor (VEGF) as well as any other growth factor affecting muscle, tendon or ligament protein synthesis/degradation, vascularisation, energy utilization, regenerative capacity or fibre type switching;

and other substances with similar chemical structure or similar biological effect(s).

## S3. BETA-2 AGONISTS

All beta-2 agonists, including all optical isomers (e.g. d- and l-) where relevant, are prohibited except inhaled salbutamol (maximum 1600 micrograms over 24 hours), inhaled formoterol (maximum delivered dose 54 micrograms over 24 hours) and salmeterol when taken by inhalation in accordance with the manufacturers' recommended therapeutic regimen.

The presence in urine of salbutamol in excess of 1000 ng/mL or formoterol in excess of 40 ng/mL is presumed not to be an intended therapeutic use of the substance and will be considered as an Adverse Analytical Finding unless the Athlete proves, through a controlled pharmacokinetic study, that the abnormal result was the consequence of the use of the therapeutic inhaled dose up to the maximum indicated above.

#### S4. HORMONE AND METABOLIC MODULATORS

The following are prohibited:

1. Aromatase inhibitors including, but not limited to: aminoglutethimide, anastrozole, androsta-1,4,6-triene-3,17-dione (androstatrienedione), 4-androstene-3,6,17 trione (6-oxo), exemestane, formestane, letrozole, testolactone.
2. Selective estrogen receptor modulators (SERMs) including, but not limited to: raloxifene, tamoxifen, toremifene.
3. Other anti-estrogenic substances including, but not limited to: clomiphene, cyclofenil, fulvestrant.
4. Agents modifying myostatin function(s) including, but not limited, to: myostatin inhibitors.
5. Metabolic modulators:
  - a) Insulins
  - b) Peroxisome Proliferator Activated Receptor δ (PPARδ) agonists (e.g. GW 1516), PPARδ-AMP-activated protein kinase (AMPK) axis agonists (e.g. AICAR)

#### S5. DIURETICS AND OTHER MASKING AGENTS

Masking agents are prohibited. They include:

Diuretics, desmopressin, plasma expanders (e.g. glycerol; intravenous administration of albumin, dextran, hydroxyethyl starch and mannitol), probenecid; and other substances with similar biological effect(s).

Local administration of felypressin in dental anaesthesia is not prohibited.

Diuretics include:

Acetazolamide, amiloride, bumetanide, canrenone, chlortalidone, etacrynic acid, furosemide, indapamide, metolazone, spironolactone, thiazides (e.g. bendroflumethiazide, chlorothiazide, hydrochlorothiazide), triamterene, vaptans (e.g. tolvaptan); and other substances with a similar chemical structure or similar biological effect(s) (except drospirenone, pamabrom and topical dorzolamide and brinzolamide, which are not prohibited).

The use In- and Out-of-Competition, as applicable, of any quantity of a substance subject to threshold limits (i.e. formoterol, salbutamol, cathine, ephedrine, methylephedrine and pseudoephedrine) in conjunction with a diuretic or other masking agent requires the deliverance of a specific Therapeutic Use Exemption for that substance in addition to the one granted for the diuretic or other masking agent.

#### PROHIBITED METHODS

##### M1. MANIPULATION OF BLOOD AND BLOOD COMPONENTS

The following are prohibited:

1. The administration or reintroduction of any quantity of autologous, allogenic (homologous) or heterologous blood or red blood cell products of any origin into the circulatory system.
2. Artificially enhancing the uptake, transport or delivery of oxygen, including, but not limited to, perfluorochemicals, efaproxiral (RSR13) and modified haemoglobin products (e.g. haemoglobin-based blood substitutes, microencapsulated haemoglobin products), excluding supplemental oxygen.
3. Any form of intravascular manipulation of the blood or blood components by physical or chemical means.

##### M2. CHEMICAL AND PHYSICAL MANIPULATION

The following are prohibited:

1. Tampering, or attempting to tamper, in order to alter the integrity and validity of Samples collected during Doping Control. These include but are not limited to urine substitution and/or adulteration (e.g. proteases).
2. Intravenous infusions and/or injections of more than 50 mL per 6 hour period except for those legitimately received in the course of hospital admissions or clinical investigations.

### M3. GENE DOPING

The following, with the potential to enhance sport performance, are prohibited:

1. The transfer of polymers of nucleic acids or nucleic acid analogues;
2. The use of normal or genetically modified cells.

#### SUBSTANCES AND METHODS

#### PROHIBITED IN-COMPETITION

In addition to the categories S0 to S5 and M1 to M3 defined above, the following categories are prohibited In-Competition:

### PROHIBITED SUBSTANCES

#### S6. STIMULANTS

All stimulants, including all optical isomers (e.g. d- and l-) where relevant, are prohibited, except imidazole derivatives for topical use and those stimulants included in the 2014 Monitoring Program\*.

Stimulants include:

a: Non-Specified Stimulants:

Adrafinil; amfepramone; amfetamine; amfetaminil; amiphenazole; benfluorex; benzylpiperazine; bromantane; clobenzorex; cocaine; cropropamide; crotetamide; fencamine; fenetylline; fenfluramine; fenproporex; fonturacetam [4-phenylpiracetam (carphedon)]; furfenorex; mefenorex; mephentermine; mesocarb; metamfetamine(d-); p-methylamphetamine; modafinil; norfenfluramine; phendimetrazine; phenmetrazine; phentermine; prenylamine; prolintane.

A stimulant not expressly listed in this section is a Specified Substance.

b: Specified Stimulants (examples):

Benzphetamine; cathine\*\*, cathinone and its analogues (e.g. mephedrone, methedrone, α-pyrrolidinovalerophenone); dimethylamphetamine; ephedrine\*\*\*; epinephrine\*\*\*\* (adrenaline); etamivan; etilamfetamine; etilefrine; famprofazone; fenbutrazate; fencamfamin; heptaminol; hydroxyamphetamine (parahydroamphetamine); isometheptene; levmetamfetamine; meclofenoxate; methylenedioxymethamphetamine; methylephedrine\*\*\*; methylhexaneamine (dimethylpentylamine); methylphenidate; nikethamide; norfenefrine; octopamine; oxilofrine (methylsynephrine); pemoline; pentetrazol; phenpromethamine; propylhexedrine; pseudoephedrine\*\*\*\*\*; selegiline; sibutramine; strychnine; tenamfetamine (methylenedioxymphetamine); trimetazidine; tuaminoheptane; and other substances with a similar chemical structure or similar biological effect(s).

\*The following substances included in the 2014 Monitoring Program (bupropion, caffeine, nicotine, phenylephrine, phenylpropanolamine, pipradol, synephrine) are not considered as Prohibited Substances.

\*\* Cathine is prohibited when its concentration in urine is greater than 5 micrograms per milliliter.

\*\*\* Each of ephedrine and methylephedrine is prohibited when its concentration in urine is greater than 10 micrograms per milliliter.

\*\*\*\* Local administration (e.g. nasal, ophthalmologic) of epinephrine (adrenaline) or co-administration with local anaesthetic agents is not prohibited.

\*\*\*\*\* Pseudoephedrine is prohibited when its concentration in urine is greater than 150 micrograms per milliliter.

### S7. NARCOTICS

The following are prohibited:

Buprenorphine, dextromoramide, diamorphine (heroin), fentanyl and its derivatives, hydromorphone, methadone, morphine, oxycodone, oxymorphone, pentazocine, pethidine.

### S8. CANNABINOIDS

Natural (e.g. cannabis, hashish, marijuana) or synthetic delta 9-tetrahydrocannabinol (THC) and cannabimimetics (e.g. "Spice", JWH018, JWH073, HU-210) are prohibited.

## S9. GLUCOCORTICOSTEROIDS

All glucocorticosteroids are prohibited when administered by oral, intravenous, intramuscular or rectal routes.

### SUBSTANCES PROHIBITED IN PARTICULAR SPORTS

#### P1. ALCOHOL

Alcohol (ethanol) is prohibited In-Competition only, in the following sports. Detection will be conducted by analysis of breath and/or blood. The doping violation threshold is equivalent to a blood alcohol concentration of 0.10 g/L.

- Air Sports (FAI)
- Archery (WA)
- Automobile (FIA)
- Karate (WKF)
- Motorcycling (FIM)
- Powerboating (UIM)

#### P2. BETA-BLOCKERS

Unless otherwise specified, beta-blockers are prohibited In-Competition only, in the following sports.

- Archery (WA) (also prohibited Out-of-Competition)
- Automobile (FIA)
- Billiards (all disciplines) (WCBS)
- Darts (WDF)
- Golf (IGF)
- Shooting (ISSF, IPC) (also prohibited Out-of-Competition)
- Skiing/Snowboarding (FIS) in ski jumping, freestyle aerials/halfpipe and snowboard halfpipe/big air

Beta-blockers include, but are not limited to, the following:

Acebutolol, alprenolol, atenolol, betaxolol, bisoprolol, bunolol, carteolol, carvedilol, celiprolol, esmolol, labetalol, levobunolol, metipranolol, metoprolol, nadolol, oxprenolol, pindolol, propranolol, sotalol, timolol."

## „SPORTBELI DOPPING ELLENI NEMZETKÖZI EGYEZMÉNY

### I. melléklet – Tiltólista – Nemzetközi követelmények

Párizs, 2014. január 1.

### 2014. ÉVI TILTÓLISTA

### NEMZETKÖZI DOPPINGELLENES SZABÁLYZAT

Érvényes 2014. január 1-jétől

A Nemzetközi Doppingellenes Szabályzat 4.2.2 cikke értelmében minden Tiltott szer „Meghatározott szer”-nek minősül, kivéve az S1, S2, S4.4, S4.5 és S6.a kategóriákba tartozó anyagokat, valamint az M1, M2 és M3 Tiltott Módszereket.

### MINDENKOR (VERSENYEN ÉS VERSENYEN KÍVÜL) TILTOTT SZEREK ÉS MÓDSZEREK

#### TILTOTT SZEREK

## S0. NEM ENGEDÉLYEZETT SZEREK

Minden esetben tiltott bármely olyan farmakológiai szer, amely nem szerepel a Lista valamely következő részében, és amely jelenleg nem rendelkezik valamely kormányzati szabályozó egészségügyi hatóság humán terápiás használatra történő jóváhagyásával (például klinikai kipróbálás előtti fázisban lévő vagy a klinikai kipróbálás fázisában lévő gyógyszerek, vagy használatból kivont gyógyszerek, dizájner drogok, kizárálag állatgyógyászati használatra jóváhagyott szerek).

## S1. ANABOLIKUS SZEREK

Az anabolikus szerek tiltottak.

### 1. Anabolikus Androgén Szteroidok (AAS)

a. Exogén\* anabolikus androgén szteroidok, úgymint:

1-androstenediol (5α-androst-1-ene-3β,17β-diol); 1-androstanedione (5α-androst-1-ene-3,17-dione); bolandiol (estr-4-ene-3β,17β-diol); bolasterone; boldenone; boldione (androsta-1,4-diene-3,17-dione); calusterone; clostebol; danazol ([1,2]oxazolo[4'5':2,3]pregna-4-en-20-yn-17α-ol); dehydrochlormethyltestosterone (4-chloro-17β-hydroxy-17α-methylandrosta-1,4-dien-3-one); desoxymethyltestosterone (17α-methyl-5α-androst-2-en-17β-ol); drostanolone; ethylestrenol (19-norpregna-4-en-17α-ol); fluoxymesterone; formebolone; furazabol (17α-methyl[1,2,5]oxadiazolo[3'4':2,3]-5α-androstan-17β-ol); gestrinone; 4-hydroxytestosterone (4,17β-dihydroxyandrost-4-en-3-one); mestanolone; mesterolone; metandienone (17β-hydroxy-17α-methylandrosta-1,4-dien-3-one); metenolone; methandriol; methasterone (17β-hydroxy-2α,17α-dimethyl-5α-androstan-3-one); methyl dienolone (17β-hydroxy-17α-methylestra-4,9-dien-3-one); methyl-1-testosterone (17β-hydroxy-17α-methyl-5α-androst-1-en-3-one); methyl nortestosterone (17β-hydroxy-17α-methylestra-4-en-3-one); methyltestosterone; metribolone (methyl trienolone, 17β-hydroxy-17α-methylestra-4,9,11-trien-3-one); mibolerone; nandrolone; 19-norandrostenedione (estr-4-ene-3,17-dione); norboletone; norclostebol; norethandrolone; oxabolone; oxandrolone; oxymesterone; oxymetholone; prostanazol (17β-[(tetrahydropyran-2-yl)oxy]-1'H-pyrazolo[3,4:2,3]-5α-androstane); quinbolone; stanozolol; stenbolone; 1-testosterone (17β-hydroxy-5α-androst-1-en-3-one); tetrahydrogestrinone (17-hydroxy-18α-homo-19-nor-17α-pregna-4,9,11-trien-3-one); trenbolone (17β-hydroxyestr-4,9,11-trien-3-one); illetve egyéb, hasonló kémiai szerkezetű vagy hasonló biológiai hatású szerek.

b. Endogén\*\* anabolikus androgén szteroidok exogén módon alkalmazva:

androstenediol (androst-5-ene-3β,17β-diol); androstanedione (androst-4-ene-3,17-dione); dihydrotestosterone (17β-hydroxy-5α-androstan-3-one); prasterone (dehydroepiandrosterone, DHEA, 3β-hydroxyandrost-5-en-17-one); testosterone; valamint ezek metabolitjai és izomerei, a teljesség igénye nélkül:

5α-androstan-3α,17α-diol; 5α-androstan-3α,17β-diol; 5α-androstan-3β,17α-diol; 5α-androstan-3β,17β-diol; androst-4-ene-3α,17α-diol; androst-4-ene-3α,17β-diol; androst-4-ene-3β,17α-diol; androst-5-ene-3α,17α-diol; androst-5-ene-3α,17β-diol; androst-5-ene-3β,17α-diol; 4-androstenediol (androst-4-ene-3β,17β-diol); 5-androstanedione (androst-5-ene-3,17-dione); epi-dihydrotestosterone; epitestosterone; etiocholanolone; 3α-hydroxy-5α-androstan-17-one; 3β-hydroxy-5α-androstan-17-one; 7α-hydroxy-DHEA; 7β-hydroxy-DHEA; 7-keto-DHEA; 19-norandrosterone; 19-noretiocholanolone.

2. Egyéb anabolikus hatóanyagok, a teljesség igénye nélkül:

Clenbuterol, szelektív androgén receptor modulátorok (SARM-ok), tibolone, zeranol, zilpaterol.

A jelen rész vonatkozásában:

\* „exogénnek” tekintendő az a szer, amelyet normális körülmények között az emberi szervezet természetes módon általában nem állít elő.

\*\* „endogénnek” tekintendő az a szer, amelyet az emberi szervezet normális körülmények között előállíthat

## S2. PEPTIDHORMONOK, NÖVEKEDÉSI FAKTOROK ÉS ROKONVEGYÜLETEK

Az alábbi szerek, valamint a hasonló kémiai szerkezetű vagy hasonló biológiai hatású szerek tiltottak:

1. Eritropoézist serkentő ágensek [pl. erythropoietin (EPO), darbepoetin (dEPO), hipoxia indukált faktor (HIF) stabilizálók, methoxy polyethylene glycol-epoetin beta (CERA), peginesatide (Hematide)];
2. Chorionic Gonadotrophin (CG) és luteinizáló hormon (LH) és az emberi szervezetben való felszabadításukat előidéző faktorok, férfiak esetében;
3. Kortikotrofinek és az emberi szervezetben való felszabadításukat előidéző faktorok;
4. Növekedési hormon (GH) és az emberi szervezetben való felszabadítását előidéző faktorok, valamint az inzulin típusú növekedési faktor-1 (IGF-1).

Ezenfelül az alábbi növekedési faktorok tiltottak

Fibroblaszt növekedési faktorok (FGF-ek), hepatocita növekedési faktor (HGF), mechanoszenzitív növekedési faktorok (MGF-ek), trombocita-eredetű növekedési faktor (PDGF), vaszkuláris endotél növekedési faktor (VEGF), továbbá bármely egyéb növekedési faktor, ami hatást gyakorol az izom, ín, ínszalag fehérje szintézisére/lebontására, az érképződésre, az energiaszínvonalra, a regenerálódási képességre vagy az izomrost típus átalakításra; továbbá a hasonló kémiai szerkezetű vagy hasonló biológiai hatású szerek.

### S3. BÉTA-2 AGONISTÁK

Az összes béta-2 agonista, beleértve – ha értelmezhető – minden (pl. d- és l-) optikai izomert, tiltott, kivéve az inhalált salbutamolt (24 óra alatt legfeljebb 1600 mikrogramm), inhalált formoterolt (maximális belélegezhető adag 24 óra alatt legfeljebb 54 mikrogramm) és a salmeterolt, ha inhalálás útján a gyártó által ajánlott terápiás eljárás szerint alkalmazzák.

Ha a salbutamol koncentrációja a vizeletben meghaladja a 1000 ng/ml értéket, vagy a formoterolé a 40 ng/ml értéket, azt nem lehet a szer terápiás célú alkalmazásának tekinteni és pozitív vizsgálati eredménynek tekintendő, hacsak a sportoló ellenőrzött farmakokinetikai vizsgálattal igazolni nem tudja, hogy a normál értéktől eltérő mérési eredmény legfeljebb a fent megjelölt terápiás célú, maximális inhalációs dózis alkalmazásának tudható be.

### S4. HORMON- ÉS METABOLIKUS MÓDOSÍTÓK

Az alábbiak tiltottak:

1. Aromatáz inhibitorok, a teljesség igénye nélkül: aminoglutethimide, anastrozole, androsta-1,4,6-triene-3,17-dione (androstatrienedione), 4-androstene-3,6,17 trione (6-oxo), exemestane, formestane, letrozole, testolactone.
2. Szelektív ösztrogén-receptor modulátorok (SERM-ek), a teljesség igénye nélkül: raloxifene, tamoxifen, toremifene.
3. Egyéb antiösztrogén hatású szerek, a teljesség igénye nélkül: clomiphene, cyclofenil, fulvestrant.
4. A miosztatin funkció(ka)t módosító hatóanyagok, a teljesség igénye nélkül: miosztatin inhibitorok.
5. Metabolikus módosítók:
  - a) inzulinok
  - b) peroxiszóma proliferátor aktivált receptor δ (PPARδ) agonisták (pl. GW 1516), PPARδ-AMP-aktivált protein-kináz (AMPK) tengelyhez kapcsolódó agonisták (pl. AICAR)

### S5. VÍZHAJTÓK ÉS EGYÉB MASZKÍROZÓ ANYAGOK

A maszkírozó anyagok tiltottak. Ilyenek például:

Vízhajtók, desmopressin, plazma expanderek (pl. glycerol; albumin, dextran, hidroxietil keményítő ésmannitol intravénás alkalmazása), probenecid; valamint egyéb, hasonló biológiai hatású szerek. Fogorvosi anesztezia keretében a felypressin helyi alkalmazása nem tiltott.

Vízhajtók például:

Acetazolamide, amiloride, bumetanide, canrenone, chlortalidone, etakrinsav (etacrynic acid), furosemide, indapamide, metolazone, spironolactone, thiazide-ek (pl. bendroflumethiazide, chlorothiazide, hydrochlorothiazide), triamterene, vaptanok (pl. tolvaptan); és egyéb, hasonló kémiai szerkezetű vagy hasonló biológiai hatású szerek (a drospirenone, a pamabrom és a helyileg alkalmazott dorzolamide és brinzolamide kivételével, amelyek nem tiltottak).

Mind versenyen, mind versenyen kívül, a küszöbértékkal rendelkező szer (például formoterol, salbutamol, cathine, ephedrine, methylephedrine, pseudoephedrine) bármely mennyiségének vízhajtóval vagy más maszkírozó anyaggal együtt történő használata esetén az adott anyagra vonatkozóan gyógyászati célú mentesség kiadására van szükség, a vízhajtóra és más maszkírozó anyagra vonatkozóan kiadott gyógyászati célú mentesség mellett.

### TILTOTT MÓDSZEREK

#### M1. A VÉRBE ÉS A VÉR ALKOTÓELEMEIBE TÖRTÉNŐ BEAVATKOZÁS

Az alábbiak tiltottak:

1. Bármilyen eredetű autológ, allogén (homológ) vagy heterológ vér- illetve vörösvérsejt-készítmény bármilyen mennyiségben történő beadása vagy visszajuttatása a keringési rendszerbe.

2. Az oxigénfelvétel, -szállítás vagy -bevitel mesterséges fokozása, a teljesség igénye nélkül ideértve a perfluor vegyületeket, az efaproxitált (RSR13), illetve a módosított hemoglobinkészítményeket (pl. hemoglobin-alapú vérpótló készítmények, mikrokapsulázott hemoglobin készítmények), kivéve a kiegészítő oxigénadást.
3. A vérbe vagy a vér alkotóelemeibe intravaskuláris úton történő fizikai vagy vegyi beavatkozás bármely formája.

## M2. VEGYI ÉS FIZIKAI BEAVATKOZÁS

Az alábbiak tiltottak:

1. A manipulálás vagy manipulálás kísérlete azon célból, hogy megváltoztassák a Doppingellenőrzés során levett Minták integritását vagy érvényességét. Ilyenek a teljesség igénye nélkül a vizeletminta helyettesítése és/vagy meghamisítása (pl. proteázok).
2. A 6 órás időtartam alatt 50 ml-t meghaladó intravénás infúziók és/vagy injekciók, kivéve a kórházi felvétel vagy klinikai vizsgálatok során indokoltan kapottakat.

## M3. GÉNDOPPING

Az alábbi, a sportteljesítmény fokozására alkalmas módszerek tiltottak:

1. Nukleinsavak vagy nukleinsav-analógok polimerjeinek átvitele;
2. Normál vagy genetikailag módosított sejtek alkalmazása.

**VERSENYEN TILTOTT**

**SZEREK ÉS MÓDSZEREK**

A fentiekben meghatározott S0-S5 és M1-M3 kategóriák mellett versenjen az alábbi kategóriák is tiltottak:

## TILTOTT SZEREK

### S6. STIMULÁNSOK

Minden stimuláns, beleértve – ha értelmezhető – minden (pl. d- és l-) optikai izomert, tiltott, a helyileg alkalmazott imidazole-származékok és a 2014. évi monitoring programban\* szereplő stimulánsok kivételével.

Stimulánsok, úgymint:

a: Nem meghatározott stimulánsok:

Adrafinil; amfepramone; amfetamine; amfetaminil; amiphenazole; benfluorex; benzylpiperazine; bromantan; clobenzorex; cocaine; cropropamide; crotetamide; fencamine; fenetylline; fenfluramine; fenproporex; fonturacetam [4-phenylpiracetam (carphedon)]; furfenorex; mefenorex; mephentermine; mesocarb; metamphetamine(d-); p-methylamphetamine; modafinil; norfenfluramine; phendimetrazine; phenmetrazine; phentermine; prenylamine; prolintane.

Az e részben kifejezetten fel nem sorolt stimulánsok a Meghatározott Szerek közé tartoznak.

b: Meghatározott stimulánsok (példák):

Benzfetamine; cathine\*\*, cathinone és annak analógjai (pl. mephedrone, methedrone, α-pyrrolidinovalerophenone); dimethylamphetamine; ephedrine\*\*\*; epinephrine\*\*\*\* (adrenaline); etamivan; etilamfetamine; etilefrine; famprofazone; fenbutrazate; fencamfamin; heptaminol; hydroxyamphetamine (parahydroamphetamine); isometheptene; levmetamphetamine; meclofenoxate; methylenedioxymethamphetamine; methylephedrine\*\*\*; methylhexaneamine (dimethylpentylamine); methylphenidate; nikethamide; norfenefrine; octopamine; oxilofrine (methylsynephrine); pemoline; pentetrazol; phenpromethamine; propylhexedrine; pseudoephedrine\*\*\*\*\*; selegiline; sibutramine; strychnine; tenamfetamine (methylenedioxymphetamine); trimetazidine; tuaminoheptane; illetve egyéb, hasonló kémiai szerkezetű vagy hasonló biológiai hatású szerek.

\* A 2014. évi monitoring programban szereplő alábbi szerek (bupropion, koffein (caffeine), nikotin (nicotine), phenylephrine, phenylpropanolamine, pipradol, synephrine) nem tekinthetők Tiltott Szereknek.

\*\* A cathine tiltott, ha koncentrációja a vizeletben meghaladja a milliliterenkénti 5 mikrogrammot.

\*\*\* Az ephedrine és a methylephedrine egyaránt tiltott, ha koncentrációja a vizeletben meghaladja a milliliterenkénti 10 mikrogrammot.

\*\*\*\* Az epinephrine (adrenaline) helyileg (pl. orrban, szemészeti céllal) alkalmazva, vagy helyi érzéstelenítő szerekkel együtt alkalmazva nem tiltott.

\*\*\*\*\* A pseudoephedrine tiltott, ha koncentrációja a vizeletben meghaladja a milliliterenkénti 150 mikrogrammot.

## S7. KÁBÍTÓSZEREK

Az alábbiak tiltottak:

Buprenorphine, dextromoramide, diamorphine (heroin), fentanyl és származéka, hydromorphone, methadone, morphine, oxycodone, oxymorphone, pentazocine, pethidine.

## S8. KANNABINOIDOK

A természetes (például cannabis, hasis, marihuána) vagy szintetikus delta 9-tetrahydrocannabinol (THC) és a kannabimimetikumok (például a „Spice”, JWH018, JWH073, HU-210) tiltottak.

## S9. GLÜKOKORTIKOSZTEROIDOK

Minden glükokortikoszteroid orális, intravénás, intramuszkuláris vagy rektális úton történő alkalmazása tiltott.

**BIZONYOS SPORTÁGAKBAN**

**TILTOTT SZEREK**

### P1. ALKOHOL

Alkohol (etanol) fogyasztása kizárolag verseny közben tiltott, az alábbi sportágakban. Kimutatása a kilélegzett levegő és/vagy levett vér elemzésével történik. A doppingvétség küszöbértéke 0,10 g/l véralkohol koncentrációval egyenértékű.

- Repülősportok (FAI)
- Íjászat (WA)
- Autóverseny (FIA)
- Karate (WKF)
- Motorverseny (FIM)
- Motorcsónak verseny (UIM)

### P2. BÉTA-BLOKKOLÓK

Egyéb, ellenkező értelmű rendelkezés hiányában a béta-blokkolók kizárolag versenyen tiltottak, az alábbi sportágakban.

- Íjászat (WA) (versenyen kívül is tiltott)
- Autóverseny (FIA)
- Biliárd ( minden szakág) (WCBS)
- Darts (WDF)
- Golf (IGF)
- Lövészeti (ISSF, IPC) (versenyen kívül is tiltott)
- Síelés/hódeszkázáson (FIS) belül: síugrás, szabadstílusú síakrobatika/félcső, hódeszka félcső/ugrás

A béta-blokkolók, a teljesség igénye nélkül, az alábbiak:

Acebutolol, alprenolol, atenolol, betaxolol, bisoprolol, bunolol, carteolol, carvedilol, celiprolol, esmolol, labetalol, levobunolol, metipranolol, metoprolol, nadolol, oxprenolol, pindolol, propranolol, sotalol, timolol.”